To: Magnuson, Matthew[Magnuson.Matthew@epa.gov]; Gray, Wendy[Gray.Wendy@epa.gov];

Weber, Eric[Weber.Eric@epa.gov]; Allgeier, Steve[Allgeier.Steve@epa.gov]; Hedrick, Elizabeth[Hedrick.Elizabeth@epa.gov]; Arguto, William[Arguto.William@epa.gov]

Cc: Sayles, Gregory[Sayles.Gregory@epa.gov]

From: Magnuson, Matthew
Sent: Tue 2/4/2014 8:05:33 PM
Subject: Inchem assessment on MCH

Wendy,

As asked on the call, there is no INCHEM assessment for MCH.

http://webnet.oecd.org/HPV/UI/SIDS_Details.aspx?key=2ce7e5d8-e9dc-48cb-a94e-4159b92c7e99&idx=0

Matthew

From: Magnuson, Matthew

Sent: Tuesday, February 04, 2014 2:10 PM

To: Gray, Wendy; Weber, Eric; Allgeier, Steve; Hedrick, Elizabeth; Arguto, William

Cc: Sayles, Gregory

Subject: RE: MCHM & PPH Product TICs

Here's the INCHEM assessment.

From: Gray, Wendy

Sent: Monday, February 03, 2014 11:56 AM

To: Magnuson, Matthew; Weber, Eric; Allgeier, Steve; Hedrick, Elizabeth; Arguto, William

Cc: Sayles, Gregory

Subject: RE: MCHM & PPH Product TICs

Matt,

The list that you have would be our preliminary list of chemicals in the tank with the exception

that there was one more unknown identified by the VOC analysis:

Unknown, masses, masses 79, 94, 55 and 67

Ex. 5 - Deliberative

I am going to tentatively set a call for tomorrow afternoon (first available time to collectively gather this distribution list), but there is a briefing tomorrow morning that may or may not make this discussion necessary/relevant.

Thanks!

Wendy Gray, P.E. Environmental Engineer US EPA Region III Drinking Water Branch 1650 Arch Street (3WP21) Philadelphia, PA 19103 Office: (215) 814-5673

Cell: (267) 216-6521 Fax: (215) 814-2302 Gray.Wendy@EPA.gov From: Magnuson, Matthew

Sent: Monday, February 03, 2014 11:10 AM

To: Weber, Eric; Gray, Wendy; Allgeier, Steve; Hedrick, Elizabeth; Arguto, William

Cc: Sayles, Gregory

Subject: RE: MCHM & PPH Product TICs

Wendy,

Ex. 5 - Deliberative

Thanks.

Matthew

Compound	<u>CAS number</u>	MSDS.
Cyclohexanemethanol	100-49-2	Eastman
Cyclohexanemethanol, 4-methyl-, trans-	3937-49-3	Eastman
Cyclohexanemethanol, 4-methyl-, cis-	????	Eastman
Cyclohexanecarboxylic acid, 4-methyl-, methyl ester	51181-40-9	Eastman
1-phenoxypropan-2-ol (PPH) (propylene glycol phenyl ether)	770-35-4	Dow
Possible 1,4-cyclohexanedimethanol	105-08-8	Eastman
A compound similar to Ethanol, 2-(4-methylphenoxy)-	NA	Dow?

1,4-Cyclohexanedicarboxylic acid, dimethyl ester	94-60-0	Eastman
(Dimethyl 1,4-cyclohexane dicarboxylate)		
Dipropylene glycol phenyl ether (4 peaks)	51730-94-0	Dow
Unknown, masses 108, 107 and 166	NA	
Unknown, masses 121, 59, 91and 134	NA	
Unknown alcohol, masses 59, 135 and 107	NA	
Unknown alcohol, masses 59, 135 and 94	NA	
Unknown alcohol, masses 59, 135 and 107	NA	
Unknown alcohol, masses 59, 135 and 107	NA	
Unknown, masses 59, 135, 107 and 161	NA	

- Eastman = Eastman MSDS for Crude MCHM 10-19-05
- Dow = DOW MSDS for PPH, Basic, 11-15-11

From: Weber, Eric

Sent: Monday, February 03, 2014 10:02 AM

To: Gray, Wendy; Allgeier, Steve; Magnuson, Matthew; Hedrick, Elizabeth; Arguto, William

Subject: RE: MCHM & PPH Product TICs

Wendy,

I should be able to get the list of chemicals thought to be in the tank out perhaps this afternoon,

more likely tomorrow morning.

Eric

From: Gray, Wendy

Sent: Monday, February 03, 2014 9:39 AM

To: Weber, Eric; Allgeier, Steve; Magnuson, Matthew; Hedrick, Elizabeth; Arguto, William

Subject: MCHM & PPH Product TICs

Good morning,

Just wanted to check in primarily with Matt and Eric, to see how we are coming along with possible tentatively identified compounds associated with the contaminants related to the incident?

Thanks for your help!

Wendy Gray, P.E. Environmental Engineer US EPA Region III Drinking Water Branch 1650 Arch Street (3WP21) Philadelphia, PA 19103 Office: (215) 814-5673

Cell: (267) 216-6521 Fax: (215) 814-2302 Gray.Wendy@EPA.gov